

PeepHole Viewer

The Digital Door Viewer

DPHV G1512 / G1514



Specifications

Model	DPHV G1512	DPHV G1514
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS	
LCD Screen	2.5" TFT	
Storage Interface	Micro SD card (supports upto 32 GB, Recommended is 8 GB)	
Power Source	2 AA batteries (good for approx 3000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering	
Size	80(W) X 120(H) X 30(D) mm	
Weight	120 g (without batteries)	

▶ To see who's knocking on your door and saving the photo automatically.

Record the picture | Night View improved | Just One Button

▶ For Best Results Please Use The Peephole Included.

The Digital Door Viewer PeepHole Viewer

HUNG SHIN GLOBAL SPLENDID INTERNATIONAL LTD

To see who's knocking on your door and saving the photo automatically.



Specifications

Model	DPHV G1512	DPHV G1514
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS	
LCD Screen	2.5" TFT	
Storage Interface	Micro SD card (supports upto 32 GB, Recommended is 8 GB)	
Power Source	2 AA batteries (good for approx 3000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering	
Size	80(W) X 120(H) X 30(D) mm	
Weight	120 g (without batteries)	

Record the picture | Night View improved | Just One Button

▶ For Best Results Please Use The Peephole Included.

SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C) Tel: (02) 2-8667-1509 Fax: (02) 2-8667-1510 E-mail: sales@gsipin.com

Motion Activated Sensor

Model: MAS1

Detect Angle: 60°

Detect Distance: 3-5 meters

Receiver Distance: 5 meters

Power Source: 2 AA batteries

Accessories: Holder, Receiver, 2 AA batteries

Size: 66 (W) X 90(H) X 24(D) mm

Weight: 20 g (without batteries)

▶ For Best Results Please Use The Peephole Included.

PEEPHOLE VIEWER THE DIGITAL DOOR VIEWER

DPHV G3012 / G3014

Specifications

Model	DPHV G3012	DPHV G3014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor	
New Feature	Built in Knocking Sensor	
LCD Screen	3.0" TFT	
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (good for approx 4500)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size	86 (W) X 165(H) X 35(D) mm	
Weight	160 g (without batteries)	

▶ For Best Results Please Use The Peephole Included.

OPTIONAL ACCESSORIES

Model	MAS1 (MOTION ACTIVATED SENSOR)
Detect Angle	60°
Detect Distance	3-5 meters
Receiver Distance	5 meters
Power Source	2 AA batteries
Accessories	Holder, Receiver, 2 AA batteries
Size	66 (W) X 90(H) X 24(D) mm
Weight	20 g (without batteries)

▶ For Best Results Please Use The Peephole Included.

HUNG SHIN GLOBAL SPLENDID INTERNATIONAL LTD
SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C)
Tel: (02) 2-8667-1509 Fax: (02) 2-8667-1510 E-mail: sales@gsipin.com

PeepHole Viewer

When someone knocks on your door, Automatic Record the picture!

Model: MAS1

Detect Angle: 60°

Detect Distance: 3-5 meters

Receiver Distance: 5 meters

Power Source: 2 AA batteries

Accessories: Holder, Receiver, 2 AA batteries

Size: 66 (W) X 90(H) X 24(D) mm

Weight: 20 g (without batteries)

▶ For Best Results Please Use The Peephole Included.

Specifications

Model	DPHV G25012	DPHV G25014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor / Built in Knocking Sensor	
LCD Screen	3.0" TFT	
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (good for approx 4500)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size	86(W) X 165(H) X 35(D) mm	
Weight	160 g (without batteries)	

▶ For Best Results Please Use The Peephole Included.

HUNG SHIN GLOBAL SPLENDID INTERNATIONAL LTD
SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C)
E-mail: sales@gsipin.com Phone: +886-2-8667-1509
Fax: +886-2-8667-1510 Website: www.gsipin.com

PeepHole Viewer

When someone knocks on your door, Automatic Record the picture!

Just One Button!

To see who's knocking on your door and saving the photo automatically.

The Digital Door Viewer

鴻昕-產品海報設計 01

PeepHole Viewer

Model	DPHV G26012 / G26014 Specifications
PeepHole barrel	12mm
Fits any door	35-57mm (1.38"-2.24") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS (Built in Knocking Sensor)
LCD Screen	3.0" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	4 AA batteries (good for approx 4500)
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering
Size	85(W) X 165(H) X 35(D) mm
Weight	160 g (without batteries)

Model	DPHV G1512 / G1514 Specifications
PeepHole barrel	14mm
Fits any door	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS (Built in Knocking Sensor)
LCD Screen	3.0" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	2 AA batteries (good for approx 3000)
Accessories	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering
Size	80(W) X 120(H) X 30(D) mm
Weight	120 g (without batteries)

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsipn.com Phone: +886-2-8667-1510
 Website: www.gsipn.com

PeepHole Viewer

When someone knocks on your door,
Automatic Record the picture!

Specifications	DPHV G26012	DPHV G26014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor / Built in Knocking Sensor	1.3 Mega Pixel CMOS Sensor / Built in Knocking Sensor
LCD Screen	3.0" TFT	3.0" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	4 AA batteries (good for approx 4500)	4 AA batteries (good for approx 4500)
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering
Size	85(W) X 165(H) X 35(D) mm	85(W) X 165(H) X 35(D) mm
Weight	160 g (without batteries)	160 g (without batteries)

The Digital Door Viewer
 To see who's knocking on your door and saving the photo automatically.



HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsipn.com Phone: +886-2-8667-1510
 Fax: +886-2-8667-1510 Website: www.gsipn.com

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 Tel: (02) 2-8667-1510 Fax: (02) 2-8667-1510 E-mail: sales@gsipn.com

Specifications

Model	DPHV G1512	DPHV G1514
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS	1.3 Mega Pixel CMOS
LCD Screen	2.5" TFT	2.5" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	2 AA batteries (good for approx 3000)	2 AA batteries (good for approx 3000)
Accessories	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering
Size	80(W) X 120(H) X 30(D) mm	80(W) X 120(H) X 30(D) mm
Weight	120 g (without batteries)	120 g (without batteries)

- Record the picture
- Night View improved
- Just One Button



To see who's knocking on your door and saving the photo automatically.

PeepHole Viewer

When someone knocks on your door,
Automatic Record the picture!
Just One Button!

To see who's knocking on your door
and saving the photo automatically.



Model	DPHV G26012 / G26014 Specifications
PeepHole barrel	12mm
Fits any door	35-57mm (1.38"-2.24") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS (Built in Knocking Sensor)
LCD Screen	3.0" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	4 AA batteries (good for approx 4500)
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering
Size	85(W) X 165(H) X 35(D) mm
Weight	160 g (without batteries)

Model	DPHV G1512 / G1514 Specifications
PeepHole barrel	14mm
Fits any door	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS (Built in Knocking Sensor)
LCD Screen	2.5" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	2 AA batteries (good for approx 3000)
Accessories	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering
Size	80(W) X 120(H) X 30(D) mm
Weight	120 g (without batteries)

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsipn.com Phone: +886-2-8667-1510
 Fax: +886-2-8667-1510 Website: www.gsipn.com

PEEPHOLE VIEWER

THE DIGITAL DOOR VIEWER



- Night View improved
- Record the picture
- Just One Button

Model	DPHV G1512	DPHV G1514
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS	1.3 Mega Pixel CMOS
LCD Screen	2.5" TFT	2.5" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	2 AA batteries (good for approx 3000)	2 AA batteries (good for approx 3000)
Accessories	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering	Base Flange, Tightening Tool, PeepHole, 2 AA Batteries, User Manual, Outer Covering
Size	80(W) X 120(H) X 30(D) mm	80(W) X 120(H) X 30(D) mm
Weight	120 g (without batteries)	120 g (without batteries)

To see who's knocking on your door and saving the photo automatically.

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 Tel: (02) 2-8667-1510
 E-mail: sales@gsipn.com

Specifications

Model	DPHV G26012
PeepHole barrel	12mm
Fits any door	35-57mm (1.38"-2.24") thick
View Angle	Regular Mode: 90° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS
LCD Screen	3.0" TFT
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)
Power Source	4 AA Batteries (good for approx 4500)
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering
Size	85(W) X 165(H) X 35(D) mm
Weight	160 g (without batteries)

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 Tel: (02) 2-8667-1510
 E-mail: sales@gsipn.com

鴻昕-產品海報設計 02

PEEPHOLE VIEWER

THE DIGITAL DOOR VIEWER



HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No. 137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsipn.com Phone: +886-2-8667-1510
 Fax: (02) 2-8667-1510
 E-mail: sales@gsipn.com

PeepHole Viewer

Digital Door Viewer

Model: DPHV G1514



on your door automatically.

View Improved

Just One Button

PeepHole Viewer

The Digital Door Viewer

Model: DPHV G25012 / G25014

When someone knocks on your door, Automatic Record the picture!

Just One Button!

To see who's knocking on your door and saving the photo automatically.

Model	DPHV G25012	DPHV G25014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 96° Zoom Mode: 60°	Regular Mode: 99° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor / Built in Knocking Sensor	
LCD Screen	3.0" TFT	
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (not for approx 4000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size (WxH)	85(W) X 165(H) X 35(D) mm	
Weight	150 g (without batteries)	

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsip.com Phone: +886-2-8667-1509
 Fax: +886-2-8667-1510 Website: www.gsip.com

PeepHole Viewer

The Digital Door Viewer

Model: DPHV G25012 / G25014

To see who's knocking on your door and saving the photo automatically.

Record the picture

Night View improved

Just One Button

Model	DPHV G25012	DPHV G25014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 96° Zoom Mode: 60°	Regular Mode: 99° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor	
LCD Screen	3.0" TFT	
Storage Interface	Micro SD card (supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (not for approx 4000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size (WxH)	85(W) X 165(H) X 35(D) mm	
Weight	150 g (without batteries)	

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C.) Tel: (02)-8667-1509 Fax: (02)-8667-1510 E-mail: sales@gsip.com

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.

To see who's knocking on your door and saving the photo automatically.

Model	DPHV G1514
PeepHole barrel	12mm
Fits any door	35-57mm (1.38"-2.24") thick
View Angle	Regular Mode: 96° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS
LCD Screen	2.8" TFT
Storage Interface	Micro SD card (supports upto 32 GB, Recommended is 8 GB)
Power Source	4 AA Batteries (not for approx 4000)
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering
Size (WxH)	85(W) X 165(H) X 35(D) mm
Weight	150 g (without batteries)

PEEPHOLE VIEWER

THE DIGITAL DOOR VIEWER

Model: DPHV G2012 / G2014

PeepHole Viewer

The Digital Door Viewer

When someone knocks on your door, Automatic Record the picture!

To see who's knocking on your door and saving the photo automatically.

Model	DPHV G25012	DPHV G25014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 96° Zoom Mode: 60°	Regular Mode: 99° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor / Built in Knocking Sensor	
LCD Screen	3.0" TFT	
Storage Interface	Micro SD card (Supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (not for approx 4000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size (WxH)	85(W) X 165(H) X 35(D) mm	
Weight	150 g (without batteries)	

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsip.com Phone: +886-2-8667-1509
 Fax: +886-2-8667-1510 Website: www.gsip.com

PEEPHOLE VIEWER

THE DIGITAL DOOR VIEWER

Model: DPHV G25012 / G25014

To see who's knocking on your door and saving the photo automatically.

Night View improved

Record the picture

Just One Button

Model	DPHV G25012	DPHV G25014
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 96° Zoom Mode: 60°	Regular Mode: 99° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS Sensor	
LCD Screen	3.0" TFT	
Storage Interface	Micro SD card (supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (not for approx 4000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size (WxH)	85(W) X 165(H) X 35(D) mm	
Weight	150 g (without batteries)	

HUNG-SHIN GLOBAL SPLENDID INTERNATIONAL LTD.
 SF, No.137, Main Chen Road, New Taipei City, Taiwan (R.O.C.)
 E-mail: sales@gsip.com Phone: +886-2-8667-1509
 Fax: +886-2-8667-1510 Website: www.gsip.com

PEEPHOLE VIEWER

THE DIGITAL DOOR VIEWER

Model: DPHV G1512 / G1514

To see who's knocking on your door and saving the photo automatically.

Night View improved

Record the picture

Just One Button

Model	DPHV G1512	DPHV G1514
PeepHole barrel	12mm	14mm
Fits any door	35-57mm (1.38"-2.24") thick	40-69mm (1.57"-2.72") thick
View Angle	Regular Mode: 96° Zoom Mode: 60°	Regular Mode: 99° Zoom Mode: 60°
Sensor	1.3 Mega Pixel CMOS	
LCD Screen	2.8" TFT	
Storage Interface	Micro SD card (supports upto 32 GB, Recommended is 8 GB)	
Power Source	4 AA batteries (not for approx 4000)	
Accessories	Base Flange, Tightening Tool, PeepHole, 4 AA Batteries, User Manual, Outer Covering	
Size (WxH)	85(W) X 165(H) X 35(D) mm	
Weight	150 g (without batteries)	

鴻昕-產品海報設計 03